

ICC-ES PMG Listing**PMG-1051**

Effective Date: July 1, 2010

Revised: May 1, 2011

*This listing is subject to re-examination in one year.***www.icc-es.org/pmg | (800) 423-6587 | (562) 699-0543***A Subsidiary of the International Code Council®*CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 14 13—Facility Storm Drainage Piping

Product: Froet Drain® Roof Drain

Listee: Froet Industries LLC
1741 Industrial Drive
Sterling, Illinois 61081
www.froetindustries.com

Compliance with the following codes:

2009 *International Plumbing Code*® (IPC)
2009 IAPMO *Uniform Plumbing Code* (IAPMO UPC)*
2009 International Residential Code (IRC)

*UPC and UMC are registered trademarks of IAPMO.

Compliance with the following standard:

LC1021 PMG Listing Criteria for Roof Drains with Integral Overflow Drain or Air Vent
ASME A112.6.4-2003 Roof, Deck, and Balcony Drains

Identification:

The Froet Drain® Roof Drain must be permanently and legibly marked with the manufacturer's name or trademark, and the model number.

Packaging for the product is marked with the product code and the ICC-ES PMG listing mark. The ICC-ES PMG listing number (PMG-1051) is optional.

Installation:

The Froet Drain® Roof Drain must be installed in accordance with the applicable code and the manufacturer's published installation instructions.

Models: 100C3-*
100C4-*
100C5-*
100C6-*
100C8-*
200C3
200C4
200C5
200C6***OFS**—OverFlow Strainer model; **LP-OFS**—Low Profile OverFlow Strainer model; **VP**—Vent Pipe model.

Conditions of listing:

1. Primary and secondary roof drain systems must be designed and sized in accordance with the applicable code.
2. The vent pipe, when used, must be sized and extend above the roof as required by the applicable code.
3. The vent pipe extension must be permanently identified as a vent pipe.
4. The vent pipe extension material must conform to the applicable plumbing code.
5. The Froet Drain[®] Roof Drains are manufactured by Froet Industries LLC in Sterling, Illinois, under a quality control program with annual surveillance inspections by ICC-ES.